

SIT STAND DESKS

Versalink HAT Systems

For Executives, Teamwork or Solo Desk



A **height-adjustable table (HAT)** is much more than just a piece of furniture. It is an investment in your health, your productivity and your well-being. Flexibility, ergonomics and a contemporary design make these desks an excellent choice for anyone who wants to optimize the way they work and stay healthy in the long term.

VersaLink INTERNATIONAL TM



Choosing the Right Desk Height

Selecting the appropriate desk height is essential for creating an ergonomic workspace that helps prevent discomfort like back pain and tension. Proper height adjustment supports a healthy posture, contributing to better focus and productivity throughout the day.



Proper Use of Versalink HAT Systems

Understand Your Optimal Desk Height

- While Sitting: Adjust your desk so that your elbows rest at a 90-degree angle with your forearms on the tabletop. A desk height of 72-75 cm generally suits most adults.
- While Standing: When using the HAT system in a standing position, ensure your elbows maintain the same 90-degree angle, with relaxed shoulders for optimal comfort.

Be Mindful of Your Posture

- During Work: Maintain proper alignment by keeping your feet flat on the floor, knees bent at 90 degrees, and wrists straight when typing. Regular short breaks to stand and stretch can help prevent strain and improve posture.

Leverage Height-Adjustable Features

- The Versalink HAT system allows you to seamlessly switch between sitting and standing positions. This promotes movement, which is vital for reducing fatigue. Adjust the desk according to your ergonomic preferences and utilize the memory function to save your preferred settings.

Adapt for Growing Users:

- For children or growing individuals, height-adjustable desks provide flexibility as they adapt to changing body sizes. This helps foster a healthy work environment at every stage of growth.

Conclusion

Using Versalink HAT systems correctly enhances both comfort and productivity. By adjusting the desk height based on your posture and using its flexible features, you can create a healthier, more ergonomic workspace.

SIT STAND DESKS

CONTENTS

SENIOR EXECUTIVE / EXECUTIVE SERIES	01
• Senior Executive HAT Systems - Houston	03
• Senior Executive HAT Systems - President	05
• Executive HAT Systems - Ascend	07
DESKING SERIES	
• Freestanding Desks - Evo	09
• Benching HAT Systems - Revostand	15
SPECIFICATIONS	
• Complete HAT Solutions	21
• Cable Management	
- Power Link Frame	23
- Skeleton Cable Duct	25
• Features & Function	26
• Accessories	27
• Configurations	29
• Finishing Color	33
• Technical Details	35

Sit Stand Desk
Different Work Settings

Senior Executive HAT Systems

High-level executives or directors



Houston

President

Executive HAT Systems

Mid-to-high-level professionals



Ascend

Desking Series HAT Systems

Flexible work environments or for individuals



Evo

Desking Series HAT Systems

Collaborative workspaces, shared office environments, open-plan offices



Revostand

Desking Series HAT Systems

Freestanding Desk



Evo

Benching HAT Systems



Revostand

3 Leg Designs

Three different choices of HAT column legs



FT
FLAT COLUMN LEG

These flat squarish legs provide a modern, minimalist look for both freestanding desks and benching systems.



OV
OVAL COLUMN LEG

The oval leg offers a sleek design and stability in open-plan benching setups.



RO
ROUND COLUMN LEG

Round legs add a classic, balanced appearance, ideal for versatile setups in both freestanding and benching systems.

SENIOR EXECUTIVE / EXECUTIVE HAT SYSTEMS

HOUSTON & PRESIDENT / ASCEND

With the ability to adjust the desk height for different tasks, Houston and President Smart desk create a more dynamic and collaborative workspace, empowering you to lead with greater clarity and decisiveness. Make this investment to support your role as a leader and drive your team's success.

Houston

Having a director's height adjustable desk is more than just a luxury; it's a strategic investment in health and productivity.



The stable sit-to-stand desks are designed to suit today's flexible worklife

For a director, who often spends long hours at their desk, this ergonomic feature promotes better posture, alleviates back pain, and encourages movement, leading to increased energy levels and creativity.


Cutting-Edge Silent Motor Technology

The secret to our desks' quiet operation lies in the cutting-edge motor technology. Engineered for minimal noise output, lower than 50db, our motors deliver powerful performance without the commotion.



Default Handset
WP-H28

- 4 Programmable Positions
- Up / Down Switch
- Digital Height Display
- USB Charge



Houston

EX-HOU-F-HAD210

L 2100 x W 2000 x D1 900 x D2 600 x H 750-1236 mm

President

President Smart Desks are designed with sleek, space-saving features that maximize workspace.



Space-Saving Design

The adjustable nature allows for efficient use of workspace, accommodating different setups and ensuring that even smaller offices can enjoy the benefits of ergonomic furniture.

Anti-Pinch Technology for Added Protection

Our desks feature state-of-the-art anti-pinch technology, safeguarding your fingers and hands during height adjustments. This innovative system senses any obstructions and immediately halts the movement, preventing accidental pinching and injuries.




Default Handset
WP-H28

- 4 Programmable Positions
- Up / Down Switch
- Digital Height Display
- USB Charge

Height
750 - 1150mm
Stroke
430mm
Speed
28mm/s

*Flexible Left or Right




President Type E

EX-PSD-E-HAD260

L 2602 x W 2000 x D1 900 x D2 600 x H 750~1150 mm

*Flexible Left or Right



President Type F

EX-PSD-F-HAD260

L 2602 x W 2000 x D1 900 x D2 700 x H 750~1150 mm

Ascend

Ascend collection includes compositions that meets executive needs by offering solid frame legs which can also be combined with structural storage cabinets.




Variation and Well-Being

From an ergonomics perspective, one important benefit is being able to vary between sitting and standing during the working day. This gets the blood circulation going and can help prevent repetitive strain injuries (RSI).



Standard HAT Desk




ASC-A-ED-160-080
L 1600 x W 800 x H 725-1215 mm

ASC-A-ED-180-080
L 1800 x W 800 x H 725-1215 mm

Mobile Caddy



S-A-SR-800_S-A-SR-900L-R / L
L1 800 x L2 387 x W 450 x H 600 mm
L1 900 x L2 487 x W 450 x H 600 mm



With Door
S-A-SR-800_S-A-SR-900L-R / L
L1 800 x L2 381 x W 450 x H 600 mm
L1 900 x L2 481 x W 450 x H 600 mm



S-B-SR-1200L-R / L
L 1200 x W 450 x H 600 mm


Versatile Height Adjustable Desks with Customizable Options

A powerful dual motor system, providing smooth and reliable performance even under heavy loads. We also offer the flexibility to customize your desk with a fixed cabinet on the left or right side, or even as separate pieces.



Default Handset
WP-H28


- 4 Programmable Positions
- Up / Down Switch
- Digital Height Display
- USB Charge



Height Adjustable Table with Side Return (R)

ASC-A-LED-1818-80R
L 1800 x W 1800 x D 800 x H 725-1215 mm

ASC-A-LED-2018-80R
L 2000 x W 1800 x D 800 x H 725-1215 mm



Height Adjustable Table with Side Return (L)

ASC-A-LED-1818-80L
L 1800 x W 1800 x D 800 x H 725-1215 mm

ASC-A-LED-2018-80L
L 2000 x W 1800 x D 800 x H 725-1215 mm

DESKING SERIES
EVO - FREESTANDING

EVO (FREESTANDING)

3 DIFFERENT CHOICES LEG DESIGNS

FLAT / OVAL / ROUND COLUMN

Loved by Workers Everywhere

Office workers raved about our motorized height adjustable desks, appreciating the blend of functionality and design.

DESKING SERIES
EVO - FREESTANDING






Revolutionary 3-in-1 Design: Triple Motorized Legs for Ultimate Stability and Flexibility

Experience the pinnacle of ergonomic innovation with our 3-in-1 design, featuring three motorized legs in a single height adjustable desk. This advanced design combines unparalleled stability, superior weight capacity, and versatile configuration options, transforming your workspace into a dynamic hub of productivity.




Silent Height Adjustment

The desk can quickly be adjusted to the right height, which makes it easy to switch between sitting and standing work. Thanks to optimal motor insulation, it is almost silent.




EVO-TT
Single



EVO-LTR
L-Shape

Types of Modesty Panel

Another great choice for concealing the space beneath the desk is the modesty panel. You can opt for either a straight or curved design to achieve the desired aesthetic.



EVO-MPL
Length: 1200 / 1400 / 1500 / 1600 / 1800 [mm]
Thickness: 18 [mm]
Height: 350 [mm]





FT
FLAT COLUMN



RO
ROUND COLUMN

Sturdy and Stable Design

Crafted with high-quality materials and a robust frame, Evo height adjustable desks provide exceptional stability at any height. The solid construction ensures that your desk remains steady during adjustments, even when supporting multiple monitors and heavy equipment. Feel secure with a desk that is as strong as it is versatile.

Fully Customized Solution

Whether it's simple up-and-down adjustments or advanced memory settings with preset height options, our range of controls allows for seamless personalization, each handset ensures optimal comfort and productivity throughout the day.



Default Handset
WP-H28

- 4 Programmable Positions
- Up / Down Switch
- Digital Height Display
- USB Charge



Upgradeable
WP-H33

- Up / Down Switch
- Digital Height Display



Upgradeable
WP-H37

- 4 Programmable Positions
- Up / Down Switch
- Digital Height Display
- USB Charge (Type A + Type C)
- Vibration Display
- Touch Button



Upgradeable
WP-H85

- 2 Programmable Positions
- Toggle Up / Down
- OLED Display
- USB Fast Charging (Type A + Type C)
- Lock Function



Upgradeable
WP-H86

- 2 Programmable Positions
- Toggle Up / Down
- OLED Display
- Lock Function

REVOSTAND (BENCHING)

3 DIFFERENT CHOICES LEG DESIGNS

FLAT / OVAL / ROUND COLUMN

Encouragement of Active Work Habits

Height adjustable desks make it easier to incorporate short breaks for stretching and movement, which can enhance mental clarity and reduce stress. This promotes a more active work culture, encouraging employees to stay engaged and motivated throughout the day.






Balanced Sound Levels and Individual Spaces

Together with different desktop screen versions, Revostand offers individuals space for concentration even when work is being carried out at a desk. The screen panels not only contributes to aesthetics but also as a private acoustic screen that is an important issue in open working environments.

Frame Leg

If you desire more privacy, you can choose a desk with framed panel legs which visually cover up the space under the desk and add an aesthetic look to it or opt for the frameless look for more generous space for movement and storage.




Benching




Screen Panel


The fixed-height privacy screen panel is specifically designed for Revostand benching systems to provide acoustic comfort and help employees stay focused. Additionally, the double-sided curved privacy screen panels offer the opportunity to create vibrant combinations using our premium fabric selection.



Chamfered Edge
Length: 1200 / 1400 / 1500 / 1600 / 1800 [mm]
Thickness: 25 [mm]
Height: 850 [mm]



Screen Panel with Central Rubber Trim
Length: 1200 / 1400 / 1500 / 1600 / 1800 [mm]
Thickness: 18 [mm]
Height: 850 [mm]



Curve Edge
Length: 1240 / 1440 / 1540 / 1640 / 1840 [mm]
Thickness: 23 [mm]
Height: 600 [mm]



OV
OVAL COLUMN

Unmatched Safety Features for Peace of Mind

When it comes to safety, our motorized height adjustable desks set the gold standard. Equipped with state-of-the-art anti-collision technology, these desks detect obstacles in their path and automatically stop to prevent accidents and damage. This intelligent feature ensures a safe and smooth transition between heights, safeguarding both you and your workspace.

Customize Your Own Solution

Various types of control panels with memory programmable presets heights buttons for easy switching or digital controls for a simple heads-up display.



Default Handset
WP-H28

- 4 Programmable Positions
- Up / Down Switch
- Digital Height Display
- USB Charge



Upgradeable
WP-H33

- Up / Down Switch
- Digital Height Display



Upgradeable
WP-H37

- 4 Programmable Positions
- Up / Down Switch
- Digital Height Display
- USB Charge (Type A + Type C)
- Vibration Display
- Touch Button



Customizable
Frame

FT
FLAT COLUMN



Upgradeable
WP-H85

- 2 Programmable Positions
- Toggle Up / Down
- OLED Display
- USB Fast Charging (Type A + Type C)
- Lock Function



Upgradeable
WP-H86

- 2 Programmable Positions
- Toggle Up / Down
- OLED Display
- Lock Function



CUSTOMISE DESK SOLUTIONS
ADAPTED BY THE GROUP OR TO THE INDIVIDUAL

Customise According To Space And Needs
Revostand Benching HAT Systems customise for the space it is going to be used in. The desks are linked together with screens and accessories to create a thought-out holistic solution. Choose the required number of units and the solution to make effective use of available space.

Panel Frame with Electrification

Our Power Link frame offers unparalleled versatility, seamlessly enhancing our HAT systems or other mobile furniture.

Base Feed



Ceiling Feed



Suitable for Lounge and Breakout



Available with two distinct base stand options and the ability to add screenpanels, it adapts to various work settings, including lounge areas, without requiring alteration.



Simply change the furniture and configuration to suit your needs, while enjoying seamless power and data access in a sleek, organized aesthetic.


Efficient Cable Management



Highlights of seamless integration of **skeleton cable duct** within the Height Adjustable Table (HAT) system.

The under-desk cable tray provides an organized pathway for all cables, keeping them neatly tucked away and free from clutter.

Additional Feature: Organize pathways for cables under the desk



Fabric Latch Wire Management
Wire Metal Tray

You can opt for simple fabric latch wire management feature to hide wireways, and a wire metal tray to hold adaptors and accessories in a concealed manner.

An example of enhanced cable management functionality



Chamfered Edge

A top with a chamfered edge gives the desk a light and slightly floating look.



Silent Height Adjustment

The desk can quickly be adjusted to the right height, which makes it easy to switch between sitting and standing work. Thanks to optimal motor insulation, it is almost silent.



Ideal for Various Heights

From basic 2 segments adjustability to a more flexibility in height adjustments in 3 segments to support a wider range of height settings.



Laminate Modesty Panel

Supplement your desk with a modesty panel. Provide good protection against prying eyes.



Anti-collision Feature

Sensors will automatically stop the desk's movement if it senses an obstacle in its path. The anti-collision feature reduces the likelihood of damage should the desk collides with any hard object.



3 Types of Column Shape

3 different choices of leg design to choose from



Simply Touch of Button

Upgrade to digital controls and USB charging facilities for an advanced digital edge.



Adjustable Feet


All desks have an adjustable foot to compensate for uneven floor surfaces.

Personalize Your Furniture Look



Monitor Arms

This enhancement in workspace ergonomics contributes to improved productivity and well-being.



CPU Holder & Wire Skeleton

Helps keep CPU under the desk to free up space and cable management to route cables neatly.



Moveable Storage

Provide space efficiency for storage of personal items.



Wooden Trap Door

Gives you quick, easy access for connecting cables in the cable tray and also create a clean tidy look.



Chamfered Edging Screen Panels

Precision-cut edges that feature a smooth chamfered finish covered with a wide selection of premium fabrics.



Screen Panel with Central Rubber Trim

Seamlessly integrated with our HAT systems, offering a sleek, professional look and added durability for high-traffic office environments.



Privacy without Isolation

This curved screen panels covers all sides for more comfort and privacy at your workspace.



Frame Leg

If you desire more privacy, you can choose a desk with framed panel legs which visually cover up the space under the desk and add an aesthetic look.



Powerbox

Integrated on the tabletop for easy access to electrical and network connections.



Dynamic Furniture

Configure to suit your needs with our Muro Lounge Seating Collection.



Versatile Tables

Add on cohesive aesthetic with our ModiMeet coffee table collection throughout the interior workspace.



Designing Function Spaces

This extensive selection allows for creative flexibility in designing various functional spaces for your workspace.

1 Cable Management / CPU Holder



Skeleton Cable Duct
EVO-CMS-SD
L 330 x W 250 x H 120 mm
* For Freestanding Desk



Skeleton Cable Duct
RVS-CMS-DB
L 330 x W 250 x H 120 mm
* For Benching Desk



Wire Metal Tray
ACC-PWT01
L 550 x W 178 x H 140 mm
* Included 4 nos. socket tray



Cable Riser
RVS-CS-01
L530 x W285 x H210 mm
* For Benching Desk Only



Cable Riser
RVS-CS-02
L530 x W285 x H210 mm
* For Benching Desk Only



Wooden Trap Door with Soft Close
L 400 x W 130 x T 18 mm



Fabric Latch
L 790 x W 150 x H 60 mm



Power Socket
L 184.2 x W 80.6 x H 77.7 mm



RVS-CPUH-01
L340 x W180 x H230 mm



RVS-CPUH-02
L500 x W200 x H300 mm

2 Modesty Panel



EVO-MPL
Length: 1200 / 1300 / 1400 / 1600 [mm]
Thickness: 18 [mm]
Height: 350 [mm]



3 Privacy Screen Panel

► Chamfered Edge Thickness: 25mm

► Screen Panel with Central Rubber Trim Thickness: 18mm



Straight Panel
Length: 1200 / 1400 / 1500 / 1600 / 1800 [mm]
Height: 400 / 600 / 800 [mm]



Curve Screen Panel
Length: 1240 / 1440 / 1540 / 1640 / 1840 [mm]
Thickness: 23[mm]
Height: 600 [mm]

4 Frame Leg



RVS-DHF-CV Flat Column
RVS-DHO-CV Oval Column
RVS-DHR-CV Round Column

5 Monitor Arm



Single Fixed Arm
VLL-TM450VP
Color: White / Black
C-Clamp / Two Piece / Top Mount / Grommet



Dual Fixed Arm
VLL-TP450VP
Color: White / Black
C-Clamp / Two Piece / Top Mount / Grommet



Single Dynamic Arm
VLL-TP330VP
Color: White / Black
C-Clamp / Two Piece / Top Mount / Grommet




Dynamic Crossbar Arm
VLL-AL330
Color: White / Black
C-Clamp / Two Piece / Top Mount / Grommet

6 Modimeet Coffee Table



Length: 1200 [mm]
Width: 700 [mm]
Height: 450 [mm]

7 Muro Seating



1 Seater
Length: 400 [mm]
Width: 400 [mm]
Height: 486 [mm]



2 Seater
Length: 1600 [mm]
Width: 400 [mm]
Height: 478 [mm]

8 Pedestal



S-MP2D / S-MP2DH
L 420 x W 470 x H 554 mm



S-MP2ID / S-MP2IDH
L 420 x W 470 x H 616 mm

9 Sketcher Whiteboard



Length: 1300 [mm]
Width: 500 [mm]
Height: 1800 [mm]

EVO – FREESTANDING

Freestanding Desk



2 Stage
Length: 1200 / 1400 / 1500 / 1600 / 1800 [mm]
Width: 1260 / 1480 [mm]
Table Height: 715 ~ 1175 [mm]

3 Stage
Length: 1200 / 1400 / 1500 / 1600 / 1800 [mm]
Width: 1260 / 1480 [mm]
Table Height: 665 ~ 1315 [mm]

2 Stage		
Flat Column	Oval Column	Round Column
EVO-FT-FS-HAD-2S	EVO-OV-FS-HAD-2S	EVO-RO-FS-HAD-2S

3 Stage		
Flat Column	Oval Column	Round Column
EVO-FT-FS-HAD-3S	EVO-OV-OV-HAD-3S	EVO-RO-FS-HAD-3S

L-Shape Desk



2 Stage
Length: 1200 / 1400 / 1500 / 1600 / 1800 [mm]
Width: 1260 / 1480 [mm]
Table Height: 715 ~ 1175 [mm]

3 Stage
Length: 1200 / 1400 / 1500 / 1600 / 1800 [mm]
Width: 1260 / 1480 [mm]
Table Height: 665 ~ 1315 [mm]

2 Stage		
Flat Column	Oval Column	Round Column
EVO-FT-FS-HAD-2S	EVO-OV-FS-HAD-2S	EVO-RO-FS-HAD-2S

3 Stage		
Flat Column	Oval Column	Round Column
EVO-FT-FS-HAD-3S	EVO-OV-OV-HAD-3S	EVO-RO-FS-HAD-3S

Chamfered Edging Screen Panel



Above Top 300mm Height
EVO-SCR
Length: 1200 / 1400 / 1500 / 1600 / 1800 [mm]
Width: 400 / 600 / 800 [mm]



Above Top 400mm Height
EVO-SCR
Length: 1200 / 1400 / 1500 / 1600 / 1800 [mm]
Width: 600 / 800 [mm]

Table Tops



Straight Edge Table Top



Straight Edge Table Top
with Wooden Trap Door




Chamfered Edge Table Top *(on user side)*
with Wooden Trap Door

EVO-TT-XXX-YYY
Length XXX: 1200 / 1400 / 1500 / 1600 / 1800 [mm]
Width YYY : 600 / 700 [mm]

REVOSTAND – BENCHING

2 Workstations




2 Stage
Length: 1200 / 1400 / 1500 / 1600 / 1800 [mm]
Width: 1260 / 1480 [mm]
Table Height: 715 ~ 1175 [mm]

3 Stage
Length: 1200 / 1400 / 1500 / 1600 / 1800 [mm]
Width: 1260 / 1480 [mm]
Table Height: 665 ~ 1315 [mm]

2 Stage		
Flat Column	Oval Column	Round Column
RVS-FT-DB-HAD-2S	RVS-OV-DB-HAD-2S	RVS-RO-DB-HAD-2S

3 Stage		
Flat Column	Oval Column	Round Column
RVS-FT-DB-HAD-3S	RVS-OV-DB-HAD-3S	RVS-RO-DB-HAD-3S

4 Workstations




2 Stage
Length: 2477 / 2877 / 3077 / 3277 / 3677 [mm]
Width: 1260 / 1480 [mm]
Table Height: 715 ~ 1175 [mm]

3 Stage
Length: 2477 / 2877 / 3077 / 3277 / 3677 [mm]
Width: 1260 / 1480 [mm]
Table Height: 665 ~ 1315 [mm]

2 Stage		
Flat Column	Oval Column	Round Column
RVS-FT-DB-HAD-2S	RVS-OV-DB-HAD-2S	RVS-RO-DB-HAD-2S

3 Stage		
Flat Column	Oval Column	Round Column
RVS-FT-DB-HAD-3S	RVS-OV-DB-HAD-3S	RVS-RO-DB-HAD-3S

6 Workstations



2 Stage
Length: 3754 / 4354 / 4654 / 4954 / 5554 [mm]
Width: 1260 / 1480 [mm]
Table Height: 715 ~ 1175 [mm]

3 Stage
Length: 3754 / 4354 / 4654 / 4954 / 5554 [mm]
Width: 1260 / 1480 [mm]
Table Height: 665 ~ 1315 [mm]

2 Stage		
Flat Column	Oval Column	Round Column
RVS-FT-DB-HAD-2S	RVS-OV-DB-HAD-2S	RVS-RO-DB-HAD-2S

3 Stage		
Flat Column	Oval Column	Round Column
RVS-FT-DB-HAD-3S	RVS-OV-DB-HAD-3S	RVS-RO-DB-HAD-3S

Chamfered Edging Screen Panel




RVS-SCR
Length: 1200 / 1400 / 1500 / 1600 / 1800 [mm]
Thickness: 25 [mm]
Height: 400 / 600 / 800 [mm]

Screen Panel with Central Rubber Trim




RVS-SCR
Length: 1200 / 1400 / 1500 / 1600 / 1800 [mm]
Thickness: 18 [mm]
Height: 400 / 600 / 800 [mm]

Curve Screen Panel



RVS-SCR
Length: 1240 / 1440 / 1540 / 1640 / 1840 [mm]
Thickness: 23 [mm]
Height: 600 [mm]

Frame Leg



RVS-DHF-CV
Flat Column
RVS-DHR-CV
Round Column
RVS-DHO-CV
Oval Column

Table Tops



RVS-A-TT-XXX-YYY
Straight Edge Table Top
with Wooden Trap Door



RVS-A-TT-XXX-YYY (CF)
Chamfered Edge Table Top
(on user side)
with Wooden Trap Door

** For Curve Screen Panel*



RVS-B-TT-XXX-YYY (C)
Straight Edge Table Top
with Wooden Trap Door

** For Curve Screen Panel*



RVS-B-TT-XXX-YYY (CF)
Chamfered Edge Table Top
(on user side)
with Wooden Trap Door

Length XXX: 1200 / 1400 / 1500 / 1600 / 1800 [mm]
Width YYY : 600 / 710 [mm]

POWERLINK FRAME


With Frame




Single Frame
Length: 1500 / 1600 / 1800 [mm]
Height: 1170 [mm]
Thickness: 75 [mm]



2 Frame
Length: 3000 / 3200 / 3600 [mm]
Height: 1170 [mm]
Thickness: 75 [mm]



3 Frame
Length: 4500 / 4800 / 5400 [mm]
Height: 1170 [mm]
Thickness: 75 [mm]



4 Frame
Length: 6000 / 6400 / 7200 [mm]
Height: 1170 [mm]
Thickness: 75 [mm]


Without Frame




Single Desk
Length: 1500 / 1600 / 1800 [mm]
Height: 770 [mm]
Thickness: 75 [mm]



2 Desks
Length: 3000 / 3200 / 3600 [mm]
Height: 770 [mm]
Thickness: 75 [mm]



3 Desks
Length: 4500 / 4800 / 5400 [mm]
Height: 770 [mm]
Thickness: 75 [mm]




4 Desks
Length: 6000 / 6400 / 7200 [mm]
Height: 770 [mm]
Thickness: 75 [mm]




Single Desk
Length: 1500 / 1600 / 1800 [mm]
Height: 1170 [mm]
Thickness: 75 [mm]



2 Desks
Length: 3000 / 3200 / 3600 [mm]
Height: 1170 [mm]
Thickness: 75 [mm]




3 Desks
Length: 4500 / 4800 / 5400 [mm]
Height: 1170 [mm]
Thickness: 75 [mm]




4 Desks
Length: 6000 / 6400 / 7200 [mm]
Height: 1170 [mm]
Thickness: 75 [mm]


120° Degree



With Frame
Length: 1200 [mm]
Height: 1170 [mm]
Thickness: 75 [mm]




Without Frame
Length: 1200 [mm]
Height: 1170 [mm]
Thickness: 75 [mm]




Without Frame
Length: 1200 [mm]
Height: 770 [mm]
Thickness: 75 [mm]


Connecting Frame



Width: 1500 / 1600 / 1800 [mm]
Height: 1170 [mm]
Thickness: 75 [mm]



Width: 1500 / 1600 / 1800 [mm]
Height: 1170 [mm]
Thickness: 75 [mm]



Width: 1500 / 1600 / 1800 [mm]
Height: 770 [mm]
Thickness: 75 [mm]

POWERLINK FRAME

Power Outlets / Different Placements



Center



Left




Right

Vertical Cable Management Solution



Cable Management Channel from Ceiling
Height: 2743 [mm]

Base Stand



Round
Length: 450 [mm]
Width: 65 [mm]
Height: 164 [mm]



Flat
Length: 450 [mm]
Width: 65 [mm]
Height: 164 [mm]

Surfaces

Melamine Faced Chipboard

Woodgrain Colors / Solid Colors

					
252 (T) Larix Pearl	212 (T) Shimo Ash	386 (T) Maple Mosella	265 (T) Salvage Oak	389 (T) Aged Oak	217 (T) Zebrawood
					
457 (T) Congo Wenge	101 (T) White	203 (T) Grey	201 (T) Graphite	201 (CM) Graphite	230 (S) Black

* The colors displayed here might exhibit slight variations owing to the inherent characteristics of the wood patterns.

Screen Panel

Acrylic


UB421 Frosted White

Fabric

Fabric B | Trendy

					
HY-5006 Orange Squash	HY-5014 Mustard Yellow	HY-5026 Green Moss	HY-5029 Ocean Blue	HY-5035 Grey Ash	HY-5042 Charcoal Grey

Fabric C | DK Collection

					
DK22 Peach Blossom	DK53 Clover Calm	DK58 Sage Green	DK63 Spring Meadow	DK82 Frosty	Radiant Duo 2000H-01

Fabric E | Comfort

					
VL_H19211-1 Beige	VL_H19211-3 Coral	VL_H19211-4 Burnt Orange	VL_H19211-5 Goldenrod	VL_H19211-8 Olive	VL_H19211-13 Peacock Blue
					
VL_H19211-14 Dark Khaki	VL_H19211-15 Grey	VL_H19211-16 Charcoal			

* All are ready stock.
** For more color options, refer to our color chart.

Height Adjustable Table Leg

Standard Colors

Classic







		
RAL 9005	RAL 7045	RAL 9003







Customizable Colors







Other

					
RAL 7021	RAL 7043	RAL 7042	RAL 9006	RAL 7038	RAL 9016
					
RAL 1000	RAL 1003	RAL 2002	RAL 2017	RAL 3016	RAL 3028
					
RAL 4001	RAL 4005	RAL 4008	RAL 5013	RAL 5015	RAL 5026
					
RAL 6005	RAL 6017	RAL 6029	RAL 7026	RAL 8016	RAL 9018



EVO (Freestanding)						
Model	2 Stage			3 Stage		
	FT FLAT COLUMN	OV OVAL COLUMN	RO ROUND COLUMN	FT FLAT COLUMN	OV OVAL COLUMN	RO ROUND COLUMN
	 EVO-FT-FS-HAD-2S Column Size: 50 x 80	 EVO-OV-FS-HAD-2S Column Size: Oval 58 x 91	 EVO-RO-FS-HAD-2S Column Size: Round Dia 70	 EVO-FT-FS-HAD-3S Column Size: 50 x 80	 EVO-OV-FS-HAD-3S Column Size: Oval 58 x 91	 EVO-RO-FS-HAD-3S Column Size: Round Dia 70
No. of Motor	Dual Motor			Dual Motor		
Height (mm)	690 ~ 1150			640 ~ 1290		
Stroke (mm)	460			650		
Speed (mm/s)	32			38		
Length of Feet (mm)	600 / 700			600 / 700		
Load Capacity (kg)	120			120		
Noise dB(A)	<50			<50		
Power	100V - 240V			100V - 240V		
Standby Power Consumption	0.1W			0.1W		
Safety Feature	Anti-collision			Anti-collision		

EVO (L-Shape)						
Model	2 Stage			3 Stage		
	FT FLAT COLUMN	OV OVAL COLUMN	RO ROUND COLUMN	FT FLAT COLUMN	OV OVAL COLUMN	RO ROUND COLUMN
	 EVO-FT-LS-HAD-2S Column Size: 50 x 80	 EVO-OV-LS-HAD-2S Column Size: Oval 58 x 91	 EVO-RO-LS-HAD-2S Column Size: Round Dia 70	 EVO-FT-LS-HAD-3S Column Size: 50 x 80	 EVO-OV-LS-HAD-3S Column Size: Oval 58 x 91	 EVO-RO-LS-HAD-3S Column Size: Round Dia 70
No. of Motor	3 Motor			3 Motor		
Height (mm)	690 ~ 1150			640 ~ 1290		
Stroke (mm)	460			650		
Speed (mm/s)	32			38		
Length of Feet (mm)	600 / 700			600 / 700		
Load Capacity (kg)	150			150		
Noise dB(A)	<50			<50		
Power	100V - 240V			100V - 240V		
Standby Power Consumption	0.1W			0.1W		
Safety Feature	Anti-collision			Anti-collision		

Revostand (Benching)						
Model	2 Stage			3 Stage		
	FT FLAT COLUMN	OV OVAL COLUMN	RO ROUND COLUMN	FT FLAT COLUMN	OV OVAL COLUMN	RO ROUND COLUMN
	 RVS-FT-DB-HAD-2S Column Size: 50 x 80	 RVS-OV-DB-HAD-2S Column Size: Oval 58 x 91	 RVS-RO-DB-HAD-2S Column Size: Round Dia 70	 RVS-FT-DB-HAD-3S Column Size: 50 x 80	 RVS-OV-DB-HAD-3S Column Size: Oval 58 x 91	 RVS-RO-DB-HAD-3S Column Size: Round Dia 70
No. of Motor	4 Motor			4 Motor		
Height (mm)	690 ~ 1150			640 ~ 1290		
Stroke (mm)	460			650		
Speed (mm/s)	32			38		
Length of Feet (mm)	-			-		
Load Capacity (kg)	120			120		
Noise dB(A)	<50			<50		
Power	100V - 240V			100V - 240V		
Standby Power Consumption	0.1W			0.1W		
Safety Feature	Anti-collision			Anti-collision		



**Building a Better World:
Sustainable Steps Forward**

Versalink upholds its commitment to sustainability through its own certifications by FSC, PEFC, ISO 9000, and TUV. Our materials are certified and compliant with CARB Phase 2 and GREENGUARD standards, sourced through partnerships with suppliers who share our values. We prioritize responsibly sourced materials, promote human health, and uphold child labour-free standards, ensuring sustainability across our operations and supply chain.



VersaLink^{INTERNATIONAL}
www.versalink.com

Jemaramas Jaya Sdn Bhd (227317-M)
Versalink Marketing Sdn Bhd (225946-K)

Lot 6119, Jalan Haji Salleh, Batu 5 1/2 off Jalan Meru,
41050 Klang, Selangor Darul Ehsan, Malaysia.

☎ +603 3392 6888 🖨 +603 3392 3377

📘 Versalink Office Furniture

📷 Versalink PBD

📍 marketplace.versalink.com

✉ info@versalink.com